





REKORD TECH and REKORD TECH Ø14



LEVELLERS



REKORD TECH





REKORD TECH is a development of the REKORD levellers. REKORD TECH is a concealed leveller to be fixed in the side panels and is suitable for heavy duty wardrobes, bookcases and modular furniture, as well as for flat-pack furniture. It is available in two versions: with rectangular base for side panels with 16mm minimum thickness or with round base for side panels with 18mm minimum thickness. The round base version can be completely embedded by operating a doublediameter hole. REKORD TECH is installed into the bottom edge of the side panel and it is then adjustable through a $\text{Ø}6$ mm hole from the inside, by using a S4 mm allen wrench. Even with a loaded cabinet, the adjustment is easy and smooth. REKORD TECH is available in multiple heights, with a maximum adjustment range of 25mm. In any case, all versions grant a capacity loading of 400 Kg each.

400 kg per piece




REKORD TECH
Rectangular base

INSTALLATION




REKORD TECH
Round base


INSTALLATION





Standard installation



Suitable for fully embedded installation





ADJUSTMENTS







REKORD TECH H 25 mm

Rectangular base



3030301000



Round base



3030311000



REKORD TECH H 32 mm

Rectangular base



3030302000

Round base





3030312000





REKORD TECH H 44 mm

Rectangular base



= S4	= 250 pcs.
ST ZA EP	
123	
3030303000	



Round base



= S4	= 250 pcs.
ST ZA EP	
123	
3030313000	

REKORD TECH H 52 mm


Rectangular base



= S4	= 250 pcs.
ST ZA EP	
123	
3030304000	



Round base




= S4
 = 250 pcs.
 123

3030314000

REKORD TECH H 70 mm


Rectangular base



= S4
 = 250 pcs.
 123

3030305000

Round base




= S4
 = 250 pcs.
 123

3030315000




REKORD TECH H 100 mm

Rectangular base



	= S4		= 100 pcs.
ST	ZA	EP	
3030306000			

Round base




	= S4		= 100 pcs.
ST	ZA	EP	
3030316000			




REKORD TECH H 120 mm

Rectangular base



= S4	= 100 pcs.
ST ZA EP	
123	
3030307000	


Round base



= S4	= 100 pcs.
ST ZA EP	
123	
3030317000	



REKORD TECH ACCESSORY




= Ø 8 mm +


= 5.000 pcs.

23002010AB

DRILL BITS FOR REKORD TECH



HSS		= on request	
			Rekord Tech version
3030151000	70	50	H 25 H 32
3030158000	78	98	H 44 H 52
3030159000	96	116	H 70
3030153000	122	142	H 100
3030152000	146	166	H 120




= on request

1145202000





DRILLING JIG FOR REKORD TECH








18 - 30 mm



GENERAL SPECIFICATIONS



SETTINGS FOR DIFFERENT REKORD TECH VERSIONS




DRILLING SPACERS FOR OTHER PANEL THICKNESSES






REKORD TECH DRILLING JIG FOR PANEL THICKNESS 18 - 25 mm



AL	ST	EP	= on request
YOJG0122RO			

NOTE: The product code includes all the components shown in the picture.

REKORD 12 DRILLING JIG ACCESSORIES




AL	= on request
YOJG0511GR	1
YOJG0512GR	1,5

DRILLING JIG DEPTH STOP COLLARS



ST	= on request
YOJG051700	Ø8
YOJG051900	Ø12

DRILL BIT



HSS	= on request		
YOJG052800	Ø8	117	Ø8
YOJG054700	Ø12	205	Ø10

NOTE: For drilling jig we recommend to use precision-ground steel drill bit HSS-G.



REKORD TECH Ø14




REKORD TECH Ø14 is a development of the REKORD levlers. REKORD TECH Ø14 is a concealed leveler to be fixed in the side panels and is suitable for heavy duty wardrobes, bookcases and modular furniture, as well as for flat-pack furniture. It is available with rectangular base for side panels with 16mm minimum thickness. REKORD TECH Ø14 is installed into the bottom edge of the side panel and it is then adjustable through a Ø6 or Ø8 mm hole from the inside, by using a S4 mm allen wrench. Even with a loaded cabinet, the adjustment is easy and smooth. REKORD TECH Ø14 is available in multiple heights, with a maximum adjustment range of 10-18-25 mm. In any case, all versions grant a capacity loading of 400 Kg each.


400 kg per piece





SPECIFICATION



INSTALLATION




ADJUSTMENTS






REKORD TECH Ø14 - H 25 mm




= S4
 ST ZA EP = 500 pcs.
 123
 3030401000

REKORD TECH Ø14 - H 32 mm



= S4
 ST ZA EP = 500 pcs.
 123
 3030402000


REKORD TECH Ø14 - H 44 mm



= S4
 ST ZA EP = 250 pcs.
 123
 3030403100




REKORD TECH Ø14 - H 52 mm



= S4
 ST ZA EP = 250 pcs.

123
 3030404100

REKORD TECH Ø14 - H 70 mm




= S4
 ST ZA EP = 250 pcs.

123
 3030405100




REKORD TECH Ø14 - H 100 mm



= S4	= 100 pcs.
ST ZA EP	
123	
3030406100	


REKORD TECH Ø14 - H 120 mm



= S4	= 100 pcs.
ST ZA EP	
123	
3030407100	



REKORD TECH Ø14 ACCESSORY



	= Ø 8 mm	+	
	EP		 = 5.000 pcs.
	123		
23002010AB			



SYMBOLS AND FINISHES LEGEND

SYMBOLS



= SHELF SAFELY LOCKED DURING TRANSPORTATION AND AT HOME.



= ANTI-TURNOVER LOCKING SYSTEM



= NORMS / PATENTS



= PHILLIPS / POZIDRIV



= WITH BUFFER



= PART NO.



= BLADE SLOT



= WITH MAGNET



= PCS. PER PACKAGE



= COMBI SLOT



= HEXAGONAL SOCKET



= NEWTON



= CAPACITY LOADING



= HEXALOBULAR SOCKET



= FRICTION



= WOOD / GLASS THICKNESS



= COUNTERSUNK HEAD



= AUTOMATIC



= HOLE DIAMETER



= PAN HEAD



= DROP DOWN



= DIAMETER



= FLANGE HEAD



= LENGTH



= FLAT HEAD



= STANDARD HINGE



= HEIGHT



= TRILOBULAR SCREW



= KIMANA HINGE



= RIGHT VERSION



= SELF-TAPPING SCREW



= FLAP HINGE



= LEFT VERSION



= EURO THREAD



= WITH SPRING



= SETTING CODE



= METRIC THREAD



= WITHOUT SPRING



= PCS. PER PAD



= PRE-INSERTED SCREW



= REVERSED SPRING



= CUT ON REQUEST



= PRE-INSERTED SCREW AND SPREADING BUSH



= WITH FLANGE



= SELF ADHESIVE

NOTE: Printing errors and omissions may exist despite our best efforts to ensure accuracy. We reserve the right to alter specifications without notice.

MATERIALS

ZA = Zinc Alloy	ST = Steel	HSS = High Speed Steel	BR = Brass	ABS = Acrylonitrile Butadiene Styrene	TPU = Thermoplastic Polyurethane
ZAnk = Nickel-plated Zinc Alloy	STzk = Zinc-plated Steel	AL = Aluminium	WD = Wood	EVA = Ethylene Vinyl Acetate	
EP = ENGINEERING PLASTIC		+ EP = other engineering plastic available on request		SR = SOFT RUBBER	+ SR = other soft rubber available on request

EPn = Natural Engineering Plastic	EPc = Clear Engineering Plastic	SRn = Natural Soft Rubber
EPw = White Engineering Plastic	EPg = Grey Engineering Plastic	SRw = White Soft Rubber
EPb = Black Engineering Plastic	EPa = Anthracite Engineering Plastic	SRb = Black Soft Rubber




FINISHES



+ OTHER FINISHES AVAILABLE ON REQUEST

PART NO.	FINISHES	PART NO.	FINISHES	PART NO.	FINISHES
00	Insignificant finish	IF	Grey 7	XE	Inox
AA	Natural	IJ	Light Grey	YA	Nickel-plated
AB	White	IL	Grey 20	YC	Matt Nickel-plated
AE	White 9010	IN	Grey met. 26	YD	Satin-finished Nickel-plated
EA	Black	JG	Aluminium 5	YQ	Black Nickel
EC	Matt Black	JL	Aluminium PE 11	Z9	Black Zinc
EE	Anthracite	JM	Aluminium RAL 9006	ZN	Zinc-plated
EW	Grey 9007	KB	Bright Chrome	ZQ	Bright Gold
FU	Gunmetal	KC	Matt Chrome	ZZ	Clear/Transparent
FV	Gunmetal V52	LD	Brown 8019		
GR	Zamak Raw	RO	Red		
HA	Brass-Plated	UT	T-Met 9007		
HH	Tropicalized	UZ	T-Met		
HL	Raw Brass	WA	Bronzed		
HX	Graphite	WI	Burnished		
IA	Grey	XD	Satin-finished Steel		



www.italianaferramenta.com

ITALIANA FERRAMENTA SRL - Viale Europa 17 I - 33070 Brugnera (PN)
 Tel. +39 0434 428211 Fax +39 0434 428242 E-mail: info@italianaferramenta.it